

RUBBER FLOORING COLLECTION

FITNESS SPORTS LEISURE

everroll®

Regupol®



Regupol
Australia



Regupol® it just feels right

Products

Regupol® it just feels right

Fitness performance is all about resilience. Bouncing back after a heavy workout. Absorbing the impact. Pushing further to complete one more repetition, lift one more kilo, run one extra kilometre. Such dedication mirrors the resilience of **everroll®** rubber flooring from **Regupol**.

Here is a collection of rubber flooring products which has been working out in Australian fitness and health clubs for more than 20 years. With featured benefits of safety and comfort underfoot everroll® makes for a good flooring choice within leisure and aquatic centres.

everroll® offers six distinctive product ranges, infused with fragments of colour which harmonise with other flooring systems. All of the **everroll®** flooring products are homogeneous, have no wear layer and are PVC free.



Please Note: All images contained in this brochure are for illustration purposes only. Please request a product sample from your Regupol Team Member before making a decision. The everroll® collection of rubber flooring is made from recycled materials, variations in the shading, EPDM and colour chip dispersion is normal.

everroll® Core	5
everroll® Tone	7
everroll® Vitality	9
everroll® Intensity	11
everroll® Active	13
everroll® Shape	15
Composite Flooring System	17
Noise and Vibration in Gyms	19
Product Selector	21
Design Centre	22
Colour Range	23
Product Info	24



everroll® Core is widely used in freestyle training areas

everroll® Core

Our number one

Strength, endurance and good looks; these are the proven qualities of **everroll® Core**. This remarkable flooring solution has been our number one preference of fitness facilities around the world for some very good reasons.

For starters **everroll® Core** is able to sustain high impact and endure heavy duty use. Offering a broad spectrum of colours to coordinate with your corporate colour palette or design theme.

everroll® Core comes in a range of thicknesses matched to suit low impact and high impact activities. Ask us for a colour sample to help select the optimum solution for your environment.



everroll® Core Berlin a preferred choice for gyms

Areas of Application

Weights and Strength Training
 Cross Fitness Training
 Golf Clubs and Driving Ranges
 Ice and Roller Skating Rinks
 End-of-Trip Facilities

Refer to the Product Selector for more applications




everroll® Core end-of-trip facilities by PFL Spaces

Product Data


Thickness	4mm, 8mm, 12mm
Roll Length	40lm, 25lm, 20lm
Roll Width	1.25m
Tiles	600mm x 600mm
Planks	1200mm x 300mm
Hexagons	600mm x 520mm




everroll® Core Berlin



everroll® Core Palau




everroll® Core Goa



everroll® Core Sidon




everroll® Core Melbourne



everroll® Core Amsterdam



everroll® Core Mons



everroll® Core Manaus



everroll® Tone in free weight areas

everroll® Tone

Added colour for a well toned floor

We've taken our popular everroll® Core and gone even further, as two complimentary colours in each shade set a sophisticated tone to floors. Such an aesthetic could be just the effect you're looking for in adding complexity and character.

Each colour variant comes alive with the colour infusion of quality EPDM rubber particles. When it comes to performance, **everroll® Tone** exhibits the same resilience and resistance to heavy impact as our **everroll® Core** product.

To tone up your floors with added resilience and energy, request a sample today to make an informed selection.

Areas of Application

- Ski Resorts
- Stadiums and Arenas
- Football Clubs
- Bike Clubs


Refer to the Product Selector for more applications

Product Data

Thickness	4mm, 8mm, 12mm
Roll Length	40lm, 25lm, 20lm
Roll Width	1.25m
Tiles	600mm x 600mm
Planks	1200mm x 300mm
Hexagons	600mm x 520mm



Typical application in gyms




everroll® Tone Kush



everroll® Tone Berlin



everroll® Tone Nome



everroll® Tone Goa



everroll® Tone Kush




everroll® Tone Lhasa



everroll® Tone Auckland



everroll® Tone Sydney



everroll® Tone Perth



everroll® Vitality for community and leisure centres

everroll® Vitality

Bring some colour to your feet

With its added infusion of colour **everroll® Vitality** stretches the colour palette without stretching your budget.

The vital ingredient is the combination of equal volumes of EPDM with tough eco-preferred rubber. Such colour intensity can be used to create specific zones or distinguish areas within your fitness facility.

This is a product that offers greater comfort underfoot and performs with impressive grip even when wet.

Ask us for a colour sample and then add some vitality to your venue.

Areas of Application

Locker and Change Rooms
Hotels, Spas and Resorts
Schools and Universities
Games and Party Rooms

Refer to the Product Selector for more applications

Product Data

Thickness	4mm
Roll Length	40lm
Roll Width	1.25m
Tiles	600mm x 600mm
Planks	1200mm x 300mm
Hexagons	600mm x 520mm



everroll® Vitality in locker rooms by PFL Spaces



everroll® Vitality Berlin in indoor sports areas



everroll® Vitality Berlin




everroll® Vitality Nome



everroll® Vitality Goa



everroll® Vitality Kush



everroll® Intensity around swimming pools

everroll® Intensity

The look of granite, the feel of rubber

With **everroll® Intensity** Regupol has created a floor with a split personality. Intensity evokes the look of granite, yet underfoot it has the feel of rubber.

Your members will have added spring in their step and will feel reassuring levels of grip which is vital for safety. This makes **everroll® Intensity** the flooring of choice for a broad range of leisure facilities and aquatic centres.

When you request a sample, you'll no doubt admire the colour. But take the time to run your fingers across it and feel the resilience.



Areas of Application

- Cardio and Circuit Rooms
- Leisure and Aquatic Centres
- Swimming Pool Surrounds
- Child Care Centres

Refer to the Product Selector for more applications



Product Data

Thickness	4mm
Roll Length	40lm
Roll Width	1.25m
Tiles	600mm x 600mm
Planks	1200mm x 300mm
Hexagons	600mm x 520mm




everroll® Intensity in ski halls




everroll® Intensity in gyms




everroll® Intensity Berlin




everroll® Intensity Nome




everroll® Intensity Jakarta



everroll® Intensity Kypros



everroll® Intensity Island



everroll® Intensity Mons



everroll® Active used in change rooms

everroll® Active

Colour you'll feel comfortable with

You seek a flooring solution with a subtle yet sophisticated infusion of colour. Yet that same floor must meet commercial realities and deliver value over the long term and achieve long life. What do you choose?

everroll® Active achieves precisely what the name suggests. It offers the high elastic strength and impact resistance you demand, and has the ability to quell excess noise levels better than timber or vinyl floors. Equally uplifting is a colour selection to compliment your design theme or corporate persona.

Request a sample in your preferred colour and feel the energy return and resilience.

Areas of Application

- Cafe Areas
- Reception and Office Spaces
- Retail Shops
- Community and Sports Centres

Refer to the Product Selector for more applications

Product Data

Thickness	4mm
Roll Length	40lm
Roll Width	1.25m
Tiles	600mm x 600mm
Planks	1200mm x 300mm
Hexagons	600mm x 520mm



everroll® Active in gyms




everroll® Active in gym shops



everroll® Active Berlin




everroll® Active Nome




everroll® Active Goa




everroll® Active Kush



everroll® Active Oslo



everroll® Active Mons



everroll® Shape for custom designed in-lays and vibrant floors

everroll® Shape

Vibrant shades that reshape design

We've amped up the colour for added vibrancy in a flooring solution that will add shape and structure to your floors.

The colour intensity comes from the high percentage of fine particle EPDM rubber granules infused throughout the product.

Such a strong hit of colour could be just what you need to identify specific areas within your gym or leisure facility. You can define a running track, mark and distinguish areas, maybe even integrate your logo into the flooring design. In this way, everroll® Shape can reshape your floors and your facility.

To truly appreciate the vivid colour selection, ask us for a sample or two.



everroll® Shape in gyms

Areas of Application

- Spin Rooms
- Reception Areas
- Leisure Areas
- Community Areas


Refer to the Product Selector for more applications




everroll® Shape and Core Nome in outdoor courts

Product Data


Thickness	4mm
Roll Length	40lm
Roll Width	1.25m
Tiles	600mm x 600mm
Planks	1200mm x 300mm
Hexagons	600mm x 520mm



everroll® Shape Berlin



everroll® Shape Nome




everroll® Shape Goa




everroll® Shape Kush



everroll® Shape Oslo




everroll® Shape Mons



everroll® Shape Palau



everroll® Shape Amsterdam



everroll® Shape Manaus



everroll® Composite floors are flexible for use in child care centres

Composite Flooring

Comfortable and flexible rubber flooring systems

Here is a flooring solution that not only ensures comfort. The cushioning effects of **everroll® Composite Flooring** provides many long term benefits.

With a durable wear layer underscored by a shock-absorbent underlay, **everroll® Composite Flooring** provides excellent shock and sound absorbing qualities. Such attributes are vital in environments where active bodies often come in contact with the floor and with high impact.

The two layered system comprises of a shockpad installation with the wear layer applied on site to achieve an evenly bonded and durable surface.

Ask today for a sample and feel the difference.



Areas of Application


- Child Care Centres
- Anti Fatigue Areas
- Fitness and Sports Areas
- Schools and Universities

Refer to the Product Selector for more applications




Product Data

Thickness	8mm + 4mm (12mm), 10mm + 4mm (14mm)
Roll Width	1.25m



everroll® Composite Rubber Floor System



everroll® Composite Rubber Flooring a two layered system



Regupol® Underlays reduce noise and vibration

Noise and Vibration in Gyms

Why do I need to minimise noise and vibration?

For each specific gym location, a detailed review of the relevant Government, Council and Strata laws will need to be considered to determine how much impact noise is considered appropriate for your building. Failing to do so can be a costly exercise and can result in costly disputes with neighbours and authorities. Taking the time to research and test your particular building will ensure that the most appropriate solution is found. Reducing any disruptions made with your gym fit-out and ensuring a happy and safe environment for all.

Acoustic Disturbance From Gyms

The dropping of free weights or other hard and/or heavy objects onto the floor are activities most likely to generate acoustic disturbance. Pin and plate loaded equipment produces similar disturbances, of slightly lesser magnitude. Weight lifting platforms and associated dropping of loaded bars onto these platforms, typically causes the highest level of acoustic disturbance from gyms.

Location Specific Critical Factors

The degree of acoustic disturbance may differ significantly from building to building, depending upon a number of variables:

- The applicable legislation, criteria, standards and guidelines
- Is the gym located on a slab at ground or a suspended slab
- Whether the receiver is above or below the gym
- The column spacing within the building
- The thickness of the slab
- Whether the slab is pre or post-tensioned concrete
- Whether a suspended ceiling is within the gym or the receivers occupancy
- The hours that the gym operates and the activities undertaken

The above list is not exhaustive, it merely demonstrates the importance of investigating each gym on a case-by-case basis to ensure the most appropriate and feasible acoustic solution is achieved.

Regupol Australia works with Acoustic Engineers nationwide to provide you with the most efficient and cost effective solution for your gym.

Contact the Regupol Acoustic Team for acoustical performance values and further advice.



Noise and Vibration in free weight areas



Noise and Vibration in pin and plate loaded equipment areas



Regupol® it just feels right

Product Selector Guide

Application	everroll® Core everroll® Tone everroll® Vitality everroll® Intensity	everroll® Core everroll® Tone	everroll® Core everroll® Tone	everroll® Active everroll® Shape	everroll® Composite Flooring System
Thickness	4mm	8mm	12mm	4mm	12-14mm
Weights & Strength Training		✓	✓		
Spin Rooms	✓	✓	✓	✓	✓
Cardio & Circuit Rooms	✓	✓	✓		✓
Cross Fitness Training		✓	✓		
Group Fitness Rooms	✓	✓	✓	✓	✓
Yoga & Pilates Studios	✓	✓	✓	✓	✓
Locker & Change Rooms	✓	✓	✓	✓	
Community & Sport Centres	✓	✓	✓	✓	✓
Swimming Pool Surrounds	✓			✓	
Schools & Universities	✓	✓		✓	✓
Child Care Centres	✓	✓		✓	✓
Games & Party Rooms	✓	✓			
Theme Parks	✓	✓		✓	
Golf Clubs & Driving Ranges		✓	✓		
Ice & Roller Skating Rinks		✓	✓		
Ski Resorts		✓	✓		
Stadiums & Arenas		✓	✓		
Athletic Clubs		✓	✓		
Football Clubs		✓	✓		
Bike Clubs		✓	✓		
Reception & Office Spaces	✓	✓		✓	✓
Retail Shops	✓	✓		✓	✓
End-of-Trip Facilities	✓	✓			

Note: This is a guide only to selecting the right product for your application. For high traffic applications it is recommended to use the thicker product option. It is recommended that you check with one of your Regupol Team Members for confirmation of the right product for your area. Please check the fire and slip classifications for your building to match with the everroll® rubber flooring material type that is suitable for your project - see downloads www.regupol.com.au

Design Centre

Perhaps the most dynamic aspect of **everroll®** is the way it stretches your mind. With so many colour tones, textures and effects, it offers a wealth of opportunities quite unlike other flooring systems.

Our design and product team can work with you to open up further possibilities with the ability to add logos and inlays to your uniquely designed floor. We can even arrange to create a unique blend of colours using the colour selector below.

So talk to us and discover how **everroll®** can floor you.




Custom Cut Inlays, Logo's and Tiles

everroll® EPDM Colour Selector




Example




Colour Range

everroll® Core




Berlin Palau Goa Sidon Melbourne Mons Amsterdam Manaus

everroll® Tone




Berlin Nome Goa Kush Lhasa Auckland Sydney Perth

everroll® Vitality




Berlin Nome Goa Kush

everroll® Intensity




Berlin Nome Jakarta Kypros Island Mons

everroll® Active




Berlin Nome Goa Kush Oslo Mons

everroll® Shape



Berlin Nome Goa Kush Oslo Mons Palau Amsterdam

everroll® Shape



Manaus

Product Info



Product Catalogue



Case Studies



REG-2015
GECA 25-2011 v2
Floor Coverings

GECA Environmental
Product Certification



Specify everroll® with
NATSPEC



Installation Guidelines



Cleaning Guidelines



Slip Resistance



Fire Resistance



Tender Text



Warranty Terms &
Conditions of Sale

Download product information
at www.regupol.com.au



facebook.com/regupol.aus



twitter.com/regupol



green building council australia
MEMBER



Regupol
(Australia) Pty. Ltd.

ABN 97 094 053 399
155 Smeaton Grange Road
SMEATON GRANGE NSW 2567
Ph: 02 4624 0050
Fax: 02 4647 4403

Email: sales@regupol.com.au
Website: www.regupol.com.au