

RUBBER FLOORING COLLECTION

FITNESS SPORTS LEISURE

everroll®

Regupol®



Your
Essential
Guide to
Rubber
Flooring



Regupol
(Australia) Pty. Ltd.





Welcome to

your essential guide to rubber flooring

Servicing the Australian Fitness, Sports and Leisure Industries for the past 25 years has been one of our greatest achievements.


Our goal has always been to ensure each industry is supported from the ground up with great products and services.

We are flooring mentors, we listen to your goals, expectations and limitations and we work with you to achieve your desired outcomes.

This is our essential guide to rubber flooring; for fitness, sports and leisure areas. It has been specifically designed to assist you in selecting a floor that meets all your requirements.


Trust and know that our products are proven fit for purpose and enjoy the support you will receive from our dedicated team...every step of the way.

Healthy regards,



Nicholas Anasson
General Manager

Run with the brand you can rely on





Products

our products - your success

We are very proud of all the products we are able to bring to the market, especially those products that are designed by Australians for Australian conditions.

We offer a wide selection of stylish, functional and durable rubber flooring finishes to help you find the perfect fit for your clients and your budget.

Available in eight distinctive colour ranges, everroll® will compliment any environment whilst maintaining a safe and durable surface.

The floors available are healthy, low odour, dust free and proven in the industry for more than 25 years.

By working with us, you will be aligning yourself with a brand and company you can trust.

everroll® Ability 4

everroll® Core 5

everroll® Tone 6

everroll® Strength 7

everroll® Vitality 8

everroll® Intensity 9

everroll® Active 10

everroll® Shape 11

Composite Flooring 13

Design Centre 14

Product Info 16



everroll® Ability Berlin



everroll® Ability Nome



everroll® Ability Kush



everroll® Ability Goa

Note: The everroll® collection of rubber flooring is made from recycled materials, slight traces of small white flecks, variations in the shading, EPDM and colour chip dispersion is normal.

everroll® Ability

If you are looking for a product with a one-of-a-kind look then everroll® Ability may just be the right choice for you.

With its big EPDM rubber granules and high strength eco-preferred rubber, this product has the capacity and potential to lift any floor to new beginnings. The material composition of everroll® Ability is unique, making it a highlight in any chosen area.


If you are looking for something out of the ordinary to meet your special design requirements, then take a closer look at everroll® Ability and request a sample today.

Refer to the product selector (page 16) for the right product and thickness for your application.


Key benefits: High eco-preferred content
 Proven strength and durability
 Low cost and value for money
 Scratch and stain resistant
 Anti-static and dust free

Product Data


Thickness	4mm, 8mm, 12mm	Tiles	600mmx600mm nominal
Roll Length	40lm, 25lm, 20lm	Planks	1200mmx300mm nominal
Roll Width	1.25 metres		




everroll® Core Melbourne




everroll® Core Amsterdam




everroll® Core Manaus



everroll® Core Palau



everroll® Core Goa



everroll® Core Sidon



everroll® Core Berlin



everroll® Core Mons

Note: The everroll® collection of rubber flooring is made from recycled materials, slight traces of small white flecks, variations in the shading, EPDM and colour chip dispersion is normal.

everroll® Core

If you are looking for a product that is proven to meet your expectations of strength and durability, then everroll® Core could be the right product for you.

Whether its the core ingredients and the energetic vibrant colours or its the high quality manufacturing process, this is our No.1 selected product for sports and fitness worldwide.

If you are looking for something fit for purpose to sustain high impact or heavy duty usage, then look at everroll® Core a little closer and request a sample today.


Refer to the product selector (page 16) for the right product and thickness for your application.

Key benefits: Impact and scratch resistant
Stain and sweat resistant
Excellent value for money
Easy to maintain
Looks and feels great underfoot


Strong
Professional
Healthy
Rubber
Flooring

Product Data


Thickness	4mm, 8mm, 12mm	Tiles	600mmx600mm nominal
Roll Length	40lm, 25lm, 20lm	Planks	1200mmx300mm nominal
Roll Width	1.25 metres		




everroll® Tone Perth



everroll® Tone Auckland



everroll® Tone Kush



everroll® Tone Sydney



everroll® Tone Berlin



everroll® Tone Nome



everroll® Tone Goa

everroll® Tone

Sometimes we just need to set the right tone. There are many levels to creating the right ambience and aesthetic appeal and everroll® Tone could be just the right product to help you set the scene.

With proven tough and durable core ingredients, this is a quality product that needs to be seen. The product is balanced with key ingredients of high eco-preferred content and selected tones of EPDM rubber granules.


Do you see a place for everroll® Tone in your flooring design? Request a sample today and feel the strength and durability first hand.

Refer to the product selector (page 16) for the right product and thickness for your application.

Key benefits: Incredibly tough and durable
Great resistant to wear and indentation
Non-laminated with no wear layer
Low odour and low VOC
Proven in the industry

Product Data

Thickness	4mm, 8mm, 12mm	Tiles	600mmx600mm nominal
Roll Length	40lm, 25lm, 20lm	Planks	1200mmx300mm nominal
Roll Width	1.25 metres		




everroll® Strength Berlin



everroll® Strength London



everroll® Strength Kush



everroll® Strength Dublin



everroll® Strength Uluru

Note: The everroll® collection of rubber flooring is made from recycled materials, slight traces of small white flecks, variations in the shading, EPDM and colour chip dispersion is normal.

everroll® Strength

We all know what it means to be strong...we have to raise the bar and show no weakness.

Can you do that with a floor? Yes you can. Using a very unique combination of selected materials we built everroll® Strength strong enough for every application, with the added benefit of more colour. We delivered a product with independence and creative style, making it suitable for any modern interior.

Does your flooring need to be raised up to the next level? Request your sample today and take a closer look.

Refer to the product selector (page 16) for the right product and thickness for your application.


Key benefits: Uplifting colour choices
Loves a good workout
Absorbs impact sound
High quality material
Remains permanently elastic

Proven
Fit for
Purpose
Rubber
Flooring

Product Data

Thickness 4mm, 8mm, 12mm
Roll Length 40lm, 25lm, 20lm
Roll Width 1.25 metres

Tiles 600mmx600mm nominal
Planks 1200mmx300mm nominal



everroll® Vitality Berlin



everroll® Vitality Nome



everroll® Vitality Kush



everroll® Vitality Goa

Note: The everroll® collection of rubber flooring is made from recycled materials, slight traces of small white flecks, variations in the shading, EPDM and colour chip dispersion is normal.

everroll® Vitality

When you need added colour without stretching the budget, everroll® Vitality could be the product that is perfect for you.

This product works extremely well to break-up or distinguish any area. The material uses a higher volume of EPDM with an equal balance of tough eco-preferred rubber. This combination of core ingredients creates wonderful floors that are low maintenance and low cost.

everroll® Vitality is a single-ply formulation of consistently high quality material throughout; making this product a long lasting investment. Request a sample and compare the quality today.

Refer to the product selector (page 16) for the right product and thickness for your application.


Key benefits: Single-ply, with no wear layer
 Comfortable and safe underfoot
 Resilient and wear resistant
 Good anti-slip qualities
 Sustainable recycled products

Product Data

Thickness	4mm	Tiles	600mmx600mm nominal
Roll Length	40m	Planks	1200mmx300mm nominal
Roll Width	1.25 metres		




everroll® Intensity Berlin



everroll® Intensity Nome



everroll® Intensity Kush



everroll® Intensity Mons

Note: The everroll® collection of rubber flooring is made from recycled materials, slight traces of small white flecks, variations in the shading, EPDM and colour chip dispersion is normal.

everroll® Intensity

Do you expect a product that looks like granite to be soft and silky? It is amazing how this rubber floor gets all the senses going, it feels and sounds great under foot and it looks fantastic.

everroll® Intensity is the right package, it is very popular in leisure areas and the perfect wear layer for a everroll® Composite Flooring system.

Ask to feel the soft touch of everroll® Intensity today and request a sample.

Refer to the product selector (page 16) for the right product and thickness for your application.

Key benefits: Soft to touch
 Beautifully aesthetic
 Balanced comfort and safety
 Unique custom colours
 PVC free

Safe
 Healthy
 Anti-Slip
 Rubber
 Flooring

Product Data

Thickness 3mm
Roll Length 40lm
Roll Width 1.25 metres

Tiles 600mmx600mm nominal
Planks 1200mmx300mm nominal



everroll® Active Berlin



everroll® Active Nome



everroll® Active Kush



everroll® Active Goa

Note: The everroll® collection of rubber flooring is made from recycled materials, slight traces of small white flecks, variations in the shading, EPDM and colour chip dispersion is normal.

everroll® Active

Floors like this provide added comfort and value to any sports and leisure facility. With the active ingredients of fine quality EPDM rubber granules, the material has a stone like appearance that feels soft and comfortable underfoot.

everroll® Active is a product that is pushing the boundaries by having high impact resistance, high load capacity and elastic strength. The product is equipped to meet and satisfy the expectations of todays high energy clientele.

Feel for yourself the quality and comfort and request a sample today.


Refer to the product selector (page 16) for the right product and thickness for your application.

Key benefits: Resistance to indentation
Provides insulating comfort
Safe and quiet underfoot
Dust free, healthy choice
Long service life


Product Data

Thickness 4mm
Roll Length 40m
Roll Width 1.25 metres

Tiles 600mmx600mm nominal
Planks 1200mmx300mm nominal



everroll® Shape Berlin




everroll® Shape Nome



everroll® Shape Kush



everroll® Shape Goa



everroll® Shape Manaus



everroll® Shape Palau



everroll® Shape Amsterdam



everroll® Shape Mons

Note: The everroll® collection of rubber flooring is made from recycled materials, slight traces of small white flecks, variations in the shading, EPDM and colour chip dispersion is normal.

everroll® Shape

If you are looking for something different to define your floor, then everroll® Shape could be the product that separates you from the rest.

The non-laminated surface is made from fine coloured EPDM rubber granules, producing a high density rubber flooring that sparks the right attention.

everroll® Shape adds colour, making it ideal for adding borders, running tracks, logo infill's and even shapes. Being soft to touch makes this product a popular choice within the everroll® Composite Flooring system.

If you want to see what everroll® Shape is all about, please request a sample today.

Refer to the product selector for the right product and thickness for your application.

Strong
Resistant
Flexible
Rubber
Flooring

Key benefits: High density material
Non-laminated surface
Produces no dust

Product Data

Thickness	4mm	Tiles	600mmx600mm nominal
Roll Length	40lm	Planks	1200mmx300mm nominal
Roll Width	1.25 metres		



Composite Flooring

Comfortable and flexible rubber flooring systems

There is nothing as pleasing as our body's connection with the feeling and sensation of comfort.

Our senses go wild with our ability to feel and touch softness and when we are relaxed and supported in our environment...we let go and enjoy the space we are in.

Relax and let the everroll® Composite Flooring system deliver you the right level of comfort. The two layered flooring system uses the Regupol® Shockpad underlay which is finished with your preferred everroll® rubber flooring choice.

Each floor can be customised to suit any application and level of resilience and comfort required.

Applications include; aerobic floors, pilates and yoga studios, mixed martial arts, group fitness, children's crèche and circuit rooms.

Anti-static
Low Odour
Low VOC
Produces
No Dust

Key benefits: A healthy alternative to carpet
Comforting anti-fatigue benefits
Excellent shock and sound absorbing qualities
Recycled rubber technology at its best
A product that adds value and comfort

Exercise with a brand that adds value and comfort

Design Centre


Allow yourself to stretch your imagination a little further and create a floor that is right for you. Bold statements and splashes of colour, logos, imprints; are all part of being unique and individual.

Let us create your perfect floor with products that can compliment and lift any facility.

You will be amazed what you can do and achieve creatively and on budget with our everroll® collection of rubber flooring. Minimum quantities do apply.



EXAMPLE



everroll® EPDM Colour Selector




Colour Range

everroll® Ability



Berlin Nome Kush Goa

everroll® Core



Berlin Mons Sidon Goa Manaus Palau Amsterdam Melbourne

everroll® Tone




Berlin Nome Kush Goa Auckland Sydney Perth

everroll® Strength




Berlin London Kush Uluru Dublin

everroll® Vitality




Berlin Nome Kush Goa

everroll® Intensity




Berlin Nome Kush Mons

everroll® Active



Berlin Nome Kush Goa

everroll® Shape



Berlin Nome Kush Goa Manaus Palau Amsterdam Mons

everroll® Product Selector Guide

Application	everroll® Ability everroll® Core everroll® Tone everroll® Strength everroll® Vitality	everroll® Ability everroll® Core everroll® Tone everroll® Strength everroll® Vitality	everroll® Ability everroll® Core everroll® Tone everroll® Strength everroll® Vitality	everroll® Intensity	everroll® Active everroll® Shape	everroll® Composite Flooring System
Thickness	4mm	8mm	12mm	3mm	4mm	11-14mm
Weights & Strength Training		✓	✓			
Spin Rooms	✓	✓	✓	✓	✓	✓
Cardio & Circuit Rooms	✓	✓	✓			✓
Cross Fitness Training		✓	✓			
Group Fitness Rooms		✓	✓			✓
Yoga & Pilates Studios	✓	✓	✓	✓	✓	✓
Locker & Change Rooms	✓	✓	✓	✓	✓	
Leisure & Aquatic Centres	✓	✓		✓	✓	
Community & Sport Centres	✓	✓	✓	✓	✓	✓
Hotel, Spas & Resorts	✓	✓	✓	✓	✓	✓
Swimming Pool Surrounds	✓	✓		✓	✓	
Schools & Universities	✓	✓		✓	✓	✓
Child Care Centres	✓	✓		✓	✓	✓
Games & Party Rooms	✓	✓				
Theme Parks	✓	✓		✓	✓	
Golf Clubs & Driving Ranges		✓	✓			
Ice & Roller Skating Rinks		✓	✓			
Ski Resorts		✓	✓			
Stadiums & Arenas		✓	✓			
Athletic Clubs		✓	✓			
Football Clubs		✓	✓			
Bike Clubs		✓	✓			
Cafe Areas	✓	✓	✓	✓	✓	
Reception & Office Spaces	✓	✓	✓	✓	✓	✓
Retail Shops	✓	✓	✓	✓	✓	✓

Note: This is a guide only to selecting the right product for your application. For high traffic use or commercial applications it is recommended to use the thicker product option. It is recommended that you check with one of our Regupol Team Members for confirmation of the right product for your area.



Product Info



Product Catalogue




Case Studies



GECA Environmental Product Certification



Specify everroll® with NATSPEC



Installation Guidelines



Cleaning Guidelines



Slip Resistance



Fire Resistance



Tender Text



Warranty Terms & Conditions of Sale



Download at www.regupol.com.au or scan for more product information



green building council australia
MEMBER



Regupol
(Australia) Pty. Ltd.

ABN 97 094 053 399
155 Smeaton Grange Road
SMEATON GRANGE NSW 2567
Ph: 02 4624 0050
Fax: 02 4647 4403

Email: sales@regupol.com.au
Website: www.regupol.com.au